A Jandy valve for every application.



Jandy NeverLube Valve*

- Multiple Diameter
- Port Design
- 2-Port
- 3-Port
- 90°
- Positive Seal
 Non-positive Seal



Jandy Gold Standard **Ball Valves**

- Union
- Non-Union
- Available in 3/4" 4"



Jandy Valve

- Multiple Diameter Port Design
- Space Saver™
- 2-Port
 3-Port
- 90°
- Positive Seal
- Non-positive Seal



Jandy Check Valve

- · Multiple Diameter Port Design
- Straight-through Swing Check Valve
 90° Swing Check Valve

Jandy Valvas® & Chase Cayer Valvas

PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
3 PORT	T VALVES	VALVE	PARTS 1 - 1 1/2" & 2 - 2 1/2"
1154	VALVE 3 PORT 1 1/2" - 2" CPVC	1132	O-RING 151 VALVE COVER
2875	VALVE 3 PORT 2" - 2 1/2" CPVC POSITIVE SEAL	1298	SCREW #14 X 3/4" VALVE HOUSING
2877	VALVE 3 PORT 2" - 2 1/2" CPVC NON-POSITIVE SEAL	1301	HANDLE (GRAY)
3186	VALVE 3 PORT 1 1/2" - 2" CPVC B23 (INTERNAL &	1303	COVER 3 PORT
	EXTERNAL STOP VALVE)	1304	COVER 2 PORT
3189	VALVE 3 PORT 2" - 2 1/2" CPVC B23 (INTERNAL &	1307	O-RING 116 VALVE SHAFT
	EXTERNAL STOP VALVE)	1312	HOUSING 1 1/2" 2" 3 PORT
3344	VALVE 3 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEAL	1313	HOUSING 1 1/2" - 2" 2 PORT
3406	VALVE 3 PORT 1 1/2" - 2 " CPVC SPACE SAVER	2133	GREASE CUP KIT
	POSITIVE SEAL	2625	COVER DOME W/BOTTOM STOPS (If ordered for JVA remove
3408	VALVE 3 PORT 1 1/2" - 2" CPVC SPACE SAVER NON-	2020	stops)
	POSITIVE SEAL	2873	HOUSING 2" - 2 1/2" 3 PORT
		2874	HOUSING 2" - 2 1/2" 2 PORT
		3042	KNOB (ABS)
2 PORT	「VALVES	3044	DIVERTER ASSEMBLY COMPLETE W/KNOB POSITIVE SEAL 1
		00	USE #4720
1157	VALVE 2 PORT 1 1/2" - 2" CPVC POSITIVE SEAL	3045	DIVERTER ASSEMBLY COMPLETE W/KNOB NON-POSITIVE
2220	VALVE 2 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEAL	0010	SEAL
2876	VALVE 2 PORT 2" - 2 1/2" CPVC POSITIVE SEAL	4368	HOUSING 90° 1 1/2" - 2"
3407	VALVE 2 PORT 1" 1/2 - 2" CPVC SPACE SAVER POSITIVE SEAL	4370	HOUSING 90° 2" - 2 1/2"
U- 1 U1	A3	1070	
3409	VALVE 2 PORT 1 1/2" - 2" CPVC SPACE SAVER NON-POSITIVE		
SEAL A3		VALVE	PARTS / SPACE SAVER
		1209	SCDEW #44 X 3/4" VALVE HOUSING

90° 2 PORT VALVES

4367	2 PORT 90° 1 1/2" - 2" CPVC POSITIVE SEAL
4369	2 PORT 90° 2" - 2 1/2" CPVC POSITIVE SEAL
4371	2 PORT 90° 1 1/2" - 2" SPACE SAVER POSITIVE SEAL

NEVER LUBE® VALVES 3 PORT/2 PORT (Positive Seal Only)

4715	NEVER LUBE® VALVE 3 PORT 1 1/2" - 2"
4716	NEVER LUBE® VALVE 2 PORT 2" - 2 1/2"
4717	NEVER LUBE® VALVE 3 PORT 2" - 2 1/2"
4724	NEVER LUBE® VALVE 2 PORT 1 1/2" - 2"
4944	NEVER LUBE® VALVE 3 PORT 2" - 2 1/2" B23 (INTERNAL &
	EXTERNAL STOP VALVE)
4945	NEVER LUBE® VALVE 3 PORT 1 1/2" - 2" B23 (INTERNAL &
	EXTERNAL STOP VALVE)

VALVE PARTS 1 - 1 1/2" & 2 - 2 1/2" NEVER LUBE®

1132	O-RING 151 VALVE COVER
1298	SCREW #14 X 3/4" VALVE HOUSING
1307	O RING 116 VALVE SHAFT
4603	KNOB (ABS) (BLACK)
4606	COVER 3 PORT (BLACK)
4720	NEVER LUBE® DIVERTER KIT
4727	HOUSING 1 1/2" - 2" 2 PORT (BLACK)
4728	HOUSING 1 1/2" - 2" 3 PORT (BLACK)
4729	HOUSING 2" - 2 1/2" 2 PORT (BLACK)
4730	HOUSING 2" - 2 1/2" 3 PORT (BLACK)
4733	HANDLE NEVER LUBE® (BLACK)
4734	COVER 2 PORT (BLACK)
5009	PIPE PLUG P-18 (INCLUDED W/ #4720)

1298	SCREW #14 X 3/4" VALVE HOUSING
1307	O-RING 116 VALVE SHAFT
3042	KNOB (ABS)
6749	O-RING SSV 143
3414	HOUSING SSV 3 PORT
3415	HOUSING SSV 2 PORT
3490	COVER 3 PORT
3417	COVER 2 PORT
3457	DIVERTER SEAL RING
3483	DIVERTER ASSEMBLY COMPLETE W/ KNOB POSITIVE SEAL
3484	DIVERTER ASSEMBLY COMPLETE W/ KNOB NON-POSITIVE
	SEAL
3500	SPACE SAVER VALVE HANDLE
4269	JANDY LUBE 3 OZ. TUBE (12 PACK ONLY)
4372	SPACE SAVER VALVE 90° 1 1/2" - 2"

† Not sold

For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928

Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237


Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101

Web Address: http://www.jandy.com/

Jandy Never Lube®

Our patented Never Lube® valve is the most trusted valve in the industry. It never needs lubrication and is totally maintenance free. The Never Lube® has an easy to turn and set handle and will never crack, melt, lose pressure, or slip — even under a working pressure of 70 psi. Plus, its rounded bottom prevents the diverter from being glued into place. And, it's *guaranteed for life* — the only valve to offer such assurance.







Applies to Jandy NEVER LUBE $^{
m ilde{R}}$

Valves Only

JANDY 3 PORT NEVER LUBE® VALVE

Part #	Description		
4717	2" - 2 1/2" POSITIVE SEAL, COMPLETE VALVE		
4715	1 1/2" - 2" POSITIVE SEAL, COMPLETE VALVE		
4944	2" - 21/2" POSITIVE SEAL, COMPLETE (INTERNAL & EXTERNAL STOPS) B23		
4945	1 1/2" - 2" POSITIVE SEAL, COMPLETE (INTERNAL & EXTERNAL STOPS) B23		

Drawing		
Number	Part #	Description
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	4603	KNOB (ABS) (BLACK)
3	4733	HANDLE NEVER LUBE® (BLACK)
4	4606	COVER 3 PORT (BLACK)
5	1132	O-RING 151 VALVE COVER
6	1307	O-RING 116 VALVE SHAFT
7	4728	HOUSING 1 1/2" - 2" 3 PORT (BLACK)
or	4730	HOUSING 2" - 2 1/2" 3 PORT (BLACK)
8	4720	NEVER LUBE® DIVERTER KIT


JANDY 2 PORT NEVER LUBE® VALVE

Part #	Description
4716	2" - 21/2" POSITIVE SEAL COMPLETE VALVE
4724	1 1/2" - 2" POSITIVE SEAL COMPLETE VALVE

Drawin	Drawing			
Numbe	er Part #	Description		
1	1298	SCREW #14 X 3/4" VALVE HOUSING		
2	4603	KNOB (ABS) (BLACK)		
3	4733	HANDLE NEVER LUBE® (BLACK)		
4	4734	COVER 2 PORT (BLACK)		
5	1132	O-RING 151 VALVE COVER		
6	1307	O-RING 116 VALVE SHAFT		
7	4727	HOUSING 1 1/2" - 2" 2 PORT (BLACK)		
or	4729	HOUSING 2" - 2 1/2" 2 PORT (BLACK)		
8	4720	NEVER LUBE® DIVERTER KIT		

Our workhorse diverter valve is as tough as the Never Lube®, and requires no disassembly for lubrication. It comes with a one-year warranty and a 15-year track record of proven reliability.






JANDY 3 PORT VALVE

Part #	Description			
1154	VALVE 3 PORT 1 1/2" - 2" POSITIVE SEAL, COMPLETE VALVE			
3186	VALVE 3 PORT 1 1/2" - 2" POSITIVE SEAL, COMPLETE(INTERNAL & EXTERNAL STOP VALVE)			
3189	VALVE 3 PORT 2" - 2 1/2" POSITIVE SEAL, COMPLETE (INTERNAL & EXTERNAL STOP VALVE)			
3344	VALVE 3 PORT 1 1/2" - 2" NON-POSITIVE SEAL, COMPLETE VALVE			
2875	VALVE 3 PORT 2" - 2 1/2" POSITIVE SEAL, COMPLETE VALVE			
2877	VALVE 3 PORT 2" - 2 1/2" NON-POSITIVE SEAL, COMPLETE VALVE			

Draw	Drawing		
Num	ber Part #	Description	
1	1298	SCREW #14 X 3/4" VALVE HOUSING	
2	3042	KNOB (ABS)	
3	1301	HANDLE (GRAY)	
4	1303	COVER 3 PORT	
5	1132	O-RING 151 VALVE COVER	
6	1307	O-RING 116 VALVE SHAFT	
7	1312	HOUSING 1 1/2" - 2" 3 PORT	
or	2873	HOUSING 2" - 2 1/2" 3 PORT	
8	2133	GREASE CUP NEVER LUBE [®] DIVERTER KIT	
9	4720	NEVER LUBE [®] DIVERTER KIT	
or	3045	DIVERTER ASSEMBLY COMPLETE	
		W/KNOB NON-POSITIVE SEAL	
10	5009	PIPE PLUG P-18	



For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928


Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237

Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101

Web Address: http://www.jandy.com/

Our workhorse diverter valve is as tough as the Never Lube[®], and requires no disassembly for lubrication. It comes with a one-year warranty and a 15-year track record of proven reliability.






JANDY 2 PORT VALVE

Part #	Description
1157	VALVE 2 PORT 1 1/2" - 2" POSITIVE SEAL, COMPLETE VALVE
2876	VALVE 2 PORT 2" - 2 1/2" POSITIVE SEAL, COMPLETE VALVE
2220	VALVE 2 PORT 1 1/2" - 2" NON-POSITIVE SEAL, COMPLETE VALVE

Drawi	ng	
Numb	er Part #	Description
		•
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	3042	KNOB (ABS)
3	1301	HANDLE (GRAY)
4	1304	COVER 2 PORT
5	1132	O-RING 151 VALVE COVER
6	1307	O-RING 116 VALVE SHAFT
7	1313	HOUSING, 1 1/2" - 2" 2 PORT
or	2874	HOUSING 2" - 2 1/2" 2 PORT
8	2133	GREASE CUP NEVER LUBE [®] DIVERTER KIT
9	4720	NEVER LUBE [®] DIVERTER KIT
or	3045	DIVERTER ASSEMBLY COMPLETE W/KNOB NON-POSITIVE SEAL
10	5009	PIPE PLUG P-18



For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928


Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237

Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101

Web Address: http://www.jandy.com/


Our workhorse diverter valve is as tough as the Never Lube®, and requires no disassembly for lubrication. It comes with a one-year warranty and a 15-year track record of proven reliability.






JANDY 3 PORT SPACE SAVER VALVE

Part #	Description	
3408	SPACE SAVER VALVE 3 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEAL. COMPLETE VALVE	
3406	SPACE SAVER VALVE 3 PORT 1 1/2" - 2" CPVC POSITIVE SEAL, COMPLETE VALVE	



Drawing		
Numl	ber Part #	Description
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	3042	KNOB (ABS)
3	3500	SPACE SAVER VALVE HANDLE
4	3490	COVER 3 PORT
5	6749	O-RING SSV 143
6	1307	O-RING 116 VALVE SHAFT
7	3457	DIVERTER SEAL RING
8	3414	SPACE SAVER VALVE HOUSING 3 PORT
9	3483	DIVERTER ASSEMBLY COMPLETE
		W/ KNOB POSITIVE SEAL
or	3484	DIVERTER ASSEMBLY COMPLETE
		W/ KNOB NON-POSITIVE SEAL



For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928


Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237


Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101


Web Address: http://www.jandy.com/

Our workhorse diverter valve is as tough as the Never Lube[®], and requires no disassembly for lubrication. It comes with a one-year warranty and a 15-year track record of proven reliability.










JANDY 2 PORT SPACE SAVER VALVE

Part #	Description
3409	SPACE SAVER VALVE 2 PORT 1 1/2" - 2" CPVC NON-POSITIVE
	SEAL, COMPLETE VALVE
3407	SPACE SAVER VALVE 2 PORT 1 1/2" - 2" CPVC POSITIVE SEAL,
	COMPLETE VALVE

Drawing		
Number	Part #	Description
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	3042	KNOB (ABS)
3	3500	SPACE SAVER VALVE HANDLE
4	3417	COVER 2 PORT
5	6749	O-RING SPACE SAVER VALVE 143
6	1307	O-RING 116 VALVE SHAFT
7	3457	DIVERTER SEAL RING
8	3415	SPACE SAVER VALVE HOUSING 2 PORT
9	3483	DIVERTER ASSEMBLY COMPLETE
		W/ KNOB POSITIVE SEAL
or	3484	DIVERTER ASSEMBLY COMPLETE
		W/ KNOB NON-POSITIVE SEAL



For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928

Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237

Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101


Web Address: http://www.jandy.com/

Our workhorse diverter valve is as tough as the Never Lube[®], and requires no disassembly for lubrication. It comes with a one-year warranty and a 15-year track record of proven reliability.


JANDY 90° VALVE

Part #	Description
4367	VALVE 2 PORT 90° 1 1/2" - 2" POSITIVE SEAL,
	COMPLETE VALVE
4369	VALVE 2 PORT 90° 2" - 2 1/2" POSITIVE SEAL, COMPLETE VALVE

Drawing		
Number	Part #	Description
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	3042	KNOB (ABS)
3	1301	HANDLE (GRAY)
4	1303	COVER 3 PORT
5	1132	O-RING 151 VALVE COVER
6	1307	O-RING 116 VALVE SHAFT
7	4368	HOUSING 90° 1 1/2" - 2"
or	4370	HOUSING 90° 2" - 2 1/2"
8	2133	GREASE CUP KIT
9	4720	GREASE CUP KIT NEVER LUBE [®] DIVERTER KIT
		· 智







1 1/2" - 2" 90 DEGREE SPACE SAVER VALVE

Part #	Description
4371	SPACE SAVER VALVE 2 PORT 90 ° 1 1/2" - 2" POSITIVE SEAL, COMPLETE VALVE

Drawing		
Number	Part #	
1	1298	SCREW #14 X 3/4" VALVE HOUSING
2	3042	KNOB (ABS)
3	3500	SPACE SAVER VALVE HANDLE
4	3490	COVER 3 PORT
5	6749	O-RING SPACE SAVER VALVE 143
6	1307	O-RING 116 VALVE SHAFT
7	4372	SPACE SAVER VALVE 90° 1 1/2" - 2" HOUSING
8	3483	DIVERTER ASSEMBLY COMPLETE W/ KNOB POSITIVE SEAL

Jandy Spa Valves and Fittings

PART

NO. DESCRIPTION

SPA VALVES

2219	VALVE 3 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEAL
3353	VALVE 3 PORT 2" - 2 1/2" CPVC NON-POSITIVE SEAL
5046	NEVER LUBE® SPA VALVE 3 PORT 1 1/2" - 2" C3
5051	NEVER LUBE® SPA VALVE 3 PORT 1 1/2" - 2" B
5052	NEVER LUBE® SPA VALVE 3 PORT 2" - 2 1/2" B
5392	NEVER LUBE® SPA VALVE 3 PORT 1 1/2" - 2" B23

SPA VALVE PARTS

1132	O-RING 151 VALVE COVER
1298	SCREW #14 X 3/4" VALVE HOUSING
1303	COVER 3 PORT
1307	O RING 116 VALVE SHAFT
2624	VALVE HOUSING 1 1/2" - 2" 3 PORT
2982	VALVE HOUSING 2" - 2 1/2" 3 PORT
3045	DIVERTER ASSEMBLY NON-POSITIVE
	SEAL & KNOB
4720	DIVERTER ASSEMBLY KIT NEVER LUBE®
5053	SPA MOUNTING KIT LONG (WHITE)
5054	SPA MOUNTING KIT STANDARD (WHITE)

SPACE SAVER SPA VALVES

VARIOUS VALVE 3 PORT CPVC SPACE SAVER

3550	SPACE SAVER VALVE 4 PORT 1 1/2" - 2" CPVC NON-
	POSITIVE SEAL (SINGLE)

3551 SPACE SAVER VALVE 4 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEAL (DOUBLE)

SCREW #14 X 3/4" VALVE HOUSING

3656 SPACE SAVER VALVE 3 PORT "T" 1 1/2" - 2" CPVC NON-

POSITIVE SEAL

SPACE SAVER SPA VALVE PARTS

1298

1307	O-RING 116 VALVE SHAFT
2894	SPA KNOB EXTENSION SHAFT 30"
6749	O-RING 143
3414	SPACE SAVER VVALVE HOUSING 3 PORT
3426	COVER 3/2 PORT SPACE SAVER VALVE W/BOTTOM STOPS
3442	MOUNTING BRACKET KIT STANDARD (WHITE)
3443	MOUNTING BRACKET KIT LONG (WHITE)
3457	DIVERTER SEAL RING
3480	MOUNTING BRACKET KIT LONG (BLACK)
3481	MOUNTING BRACKET KIT STANDARD (BLACK)
3484	DIVERTER ASSEMBLY COMPLETE
3546	COVER 4 PORT "T"
3547	HOUSING 4 PORT
3548	DIVERTER 4 PORT SINGLE
3549	DIVERTER 3 PORT & 4 PORT DOUBLE
3660	HOUSING 3 PORT "T"

PART

NO. DESCRIPTION

KNOB EXTENSION KITS

3259	SPA U-JOINT COMPLETE
3287	SPA SEAL RING KIT
3303	SPA KNOB KIT TRI W/CAP (CHROME)
3308	SPA KNOB KIT ROUND W/CAP (CHROME)
3311	SPA KNOB KIT ROUND W/CAP (SLATE)
3312	SPA KNOB KIT ROUND W/CAP (WHITE)
3318	SPA VALVE CAP KIT

SPA KNOB EXTENSION SHAFT 30"

JANDY ENERGY FILTER WITH GAUGE

•	
1154	VALVE 3-PORT 1 1/2" - 2" CPVC POSITIVE SEAL
2612	JANDY FILTER TOP W/ADAPTER
2870	PRESSURE GAUGE 0-60 P.S.I. 1/8"
2887	JANDY FILTER W/GAUGE & VALVE
2888	JANDY FILTER W/GAUGE
3191	JANDY FILTER BOWL W/O-RING
3293	JANDY FILTER O-RING REPLACEMENT KIT
3391	JANDY FILTER ELEMENT POLY PRO

For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928


Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237

Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101


Web Address: http://www.jandy.com/

JANDY SPA VALVE AND KNOB EXTENSION KITS

PARTS IDENTIFICATION AND SCHEMATIC DRAWING



Drawing Number	Part #	Description
1	VARIOUS	DECORATOR HANDLE
2,3	3287	SPA SEAL RING KIT
4,5	3259	SPA U-JOINT COMPLETE
6	2894	SPA KNOB EXTENSION SHAFT 30"
7	3318	SPA VALVE CAP KIT
8	2219	SPA VALVE 3 PORT 1 1/2" - 2" CPVC NON-POSITIVE SEA
8	3353	SPA VALVE 3 PORT 2" - 2 1/2" CPVC NON-POSITIVE SEAL



For more information:


Telephone: Main: (415)382-8220 Order Fax: (800)526-3928


Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237


Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101


Web Address: http://www.jandy.com/











JANDY 3 PORT "T" SPACE SAVER SPA VALVE Non-Positive Seal Only


Part #	Description
3656	SPACE SAVER VALVE 3 PORT "T" 1 1/2" - 2" CPVC NON-POSITIVE
	SEAL, COMPLETE VALVE

Drawing	5 . "	5
Number	Part #	Description
1	VARIOUS	DECORATOR HANDLE
2	2894	SPA KNOB EXTENSION SHAFT 30"
3	1298	SCREW #14 X 3/4" VALVE HOUSING
4	3546	COVER 4 PORT "T"
5	1307	O RING 116 VALVE SHAFT
6	3457	DIVERTER SEAL RING
7	6749	O-RING SPACE SAVER VALVE 143
8	3549	DIVERTER 3 PORT & 4 PORT DOUBLE
9	3660	HOUSING 3 PORT "T"

JANDY 4 PORT SPACE SAVER SPA VALVE Non-Positive Seal Only

Part #	Description
0550	ODA OF GAVED VALVE A DODT A AGU ON ODVO NON DOGITIVE
3550	SPACE SAVER VALVE 4 PORT 1 1/2" - 2" CPVC NON-POSITIVE
	SEAL (SINGLE), COMPLETE VALVE
3551	SPACE SAVER VALVE 4 PORT 1 1/2" - 2" CPVC NON-POSITIVE
	SEAL (DOUBLE), COMPLETE VALVE

Drawing Number	Part #	Description
1	VARIOUS	DECORATOR HANDLE
2	2894	SPA KNOB EXTENSION SHAFT 30"
3	1298	SCREW #14 X 3/4" VALVE HOUSING
4	3546	COVER 4 PORT "T"
5	1307	O-RING 116 VALVE SHAFT
6	3457	DIVERTER SEAL RING
7	6749	O-RING SPACE SAVER VALVE 143
8	3548	DIVERTER 4 PORT SINGLE
or	3549	DIVERTER 3 PORT & 4 PORT DOUBLE
9	3547	HOUSING 4 PORT



Jandy Gold Standard™ Ball Valve

For simple on/off applications, Jandy Ball Valves offer an inexpensive, yet high quality choice. The Jandy Ball Valve is also the only ball valve with a 2-year guarantee. The Union Ball valve can be disassembled for service.




Jandy Ball Valves

PART				
NO.	DESCRIPTION			
110.	DECORAL FICH			


	BALL VALVES
6955	BALL VALVE 1 1/2" UNION
6957	BALL VALVE 2" UNION
7515	BALL VALVE 3" NON UNION
7516	BALL VALVE 4" NON UNION

STANDARD UNION BALL VALVE Part #6955, 6957



STANDARD NON UNION BALL VALVE

Part #6952, 6953, 6954, 6956



NO.	DESCRIPTION	
	NON UNION BALL VALVES	
6952	BALL VALVE 3/4" STANDARD NON UNION	
6953	BALL VALVE 1" STANDARD NON UNION	
6954	BALL VALVE 1 1/2" STANDARD NON UNION	
6956	BALL VALVE 2" STANDARD NON UNION	
	2,122 1,1212 1 1,2 0 1,112,112 11011 0 11011	

For more information:

Telephone: Main: (415)382-8220 Order Fax: (800)526-3928

Customer Service: Ext. 245 Warranty/Service: Ext. 260 Literature Requests: Ext. 237


Pool Systems Address: 21 Pimentel Ct., Novato, CA 94949 Mailing Address: P.O. Box 6101, Novato, CA 94948-6101

Web Address: http://www.jandy.com/

Jandy Check Valves

Our Check Valve's clear lid and red seal plate let you easily see and access debris. It's easily disassembled for service, and features a unique swing/spring design that lets you use it for both return and intake water. It's constructed using the same tough CPVC plastic featured in the NEVER LUBE®and is available in straight-through and 90°.

Part No.	Description
7235	CHECK VALVE 1 1/2" - 2"
7305	CHECK VALVE 2" - 2 1/2"
7511 7512	CHECK VALVE 1 1/2" - 2" 90° CHECK VALVE 2" - 2 1/2" 90°





ITEM	PART	
NO.	NO.	DESCRIPTION
1	4727	HOUSING 1 1/2" - 2" 2 PORT (BLACK)
or	4729	HOUSING 2" - 2 1/2" 3 PORT
	4368	HOUSING 90° 1 1/2" - 2"
	4370	HOUSING 90° 2" - 2 1/2"
2	7451	FLAPPER ASSEMBLY
3	7304	CHECK VALVE PIN
4	7236	CHECK VALVE COVER
5	1298	#14 x 3/4" VALVE HOUSING SCREWS
6	1132	O-RING 151 VALVE COVER
7	7302	CHECK VALVE SPRING
8	7056	COVER W/ FLAPPER ASSY (INCLUDES
		FLAPPER ASSY, PIN, COVER SPRING,
		AND O-RING)

Jandy Valve Actuator®

The fully adjustable Jandy Valve Actuator® offers a convenient alternative to manually turning valves, making even the most complex plumbing set-ups easy to use. It works with AquaLink® RS Control System and is available in both 12 and 24 volt units.

JVA 2440 24V COMPLETE #3791 JVA 1240 12V COMPLETE #4412 JVA 2440 24V COMPLETE #4424

PARTS IDENTIFICATION AND EXPLOSION DRAWING



TARTO BELLVIII TOATIONA MED EAR EGGIOTEDIA MAINTO		
Description		
SCREW #8 X 5/8"		
LOCK NUT 1/2"		
HOUSING TOP		
CAM WASHER		
TOP CAM † SEE KIT #3553		
SCREW 8.32 X 1/4" PHIL PN 18.8		
CONNECTOR 3 PIN		
MOTOR 24 VAC		
MOTOR 12 VAC		
BOTTOM CAM † SEE KIT #3553		
O-RING 2-116 † SEE KIT #3553		
TOGGLE SWITCH COMPLETE		
MICRO SWITCH COVER (LEFT)		
MICRO SWITCH COVER (RIGHT)		
MICRO SWITCH † SEE KIT #3659 OR #2848		
WASHER # 8 LOCK WASHER		
CENTER PLATE W/PINS		
OUTPUT SHAFT THREADED † SEE KIT #2848		
OUTPUT GEAR † SEE #2848		
SHAFT REPLACEMENT KIT		
WASHER .312 X .195		
LARGE PINION GEAR		
WASHER .312 X .135		
POWER CORD KIT (20 FT.)		
HOUSING BOTTOM PLASTIC W/SEAL/BUSHING		
SWITCH GUARD		
STRAIN RELIEF		
SPRING † SEE #2848		
GASKET		
CAM KIT		
CAPACITOR 24 V		
CAPACITOR 12 V		
WIRE NUT W/SPRING		
SECONDARY MOTOR GEAR		
PRIMARY GEAR		
SCREW #8 X 5/8" MOUNTING PLATE		
SCREW #14 X 2"		
MICRO SWITCH KIT		
Included in the part # indicated.		

